

1080P 2.1 Megapixels IR Box Network Camera



Features

- 1/2.8" 2.1 Megapixels Progressive Scan Sony CMOS.
- H.264 & MJPEG dual-stream encoding.
- Max 25/30fps@1080P (1920x1080).
- Digital WDR (>100db), 2D, 3D noise reduction, AWB, AGC, BLC.
- Multiple network monitoring: Web viewer, CMS, Smart phone.
- To switch Day/Night by Video detection and time.
- Micro SD Card Slot (max 64GB).
- Two big LED lights, IR distance about 30 meters.
- IP66.
- POE optional.
- •2.8-12mm varifocal lens.
- Support ONVIF 2.4 above.
- Varifocal Lens 2.8-12, adjustable outside easily.



Model: NR-8067-IPC21F Series


Specification					
Model	IR	Audio	IP66	POE	LENS (2.8-12mm)
NR-8067-IPC21F	Yes	No	Yes	No	2.8-12mm Lens included
NR-8067-IPC21F-POE	Yes	No	Yes	Yes	2.8-12mm Lens included
NR-8067-IPC21F-AA	Yes	Yes	Yes	No	2.8-12mm Lens included
NR-8067-IPC21F-AA-POE	Yes	Yes	Yes	Yes	2.8-12mm Lens included
Camera					
Image Sensor		1/2.8" 2.1 megapixels Progressive Scan Sony CMOS			
CPU		Hi3516C			
Effective Pixels		1920x1080			
Scanning System		Progressive			
Electronics Shutter Speed		Auto (1/25,1/30 ~ 1/10000s)			
Min. Illumination		0.05Lux/F1.2 (Color), 0.005Lux/F1.2(B/W);			
		0Lux/F1.2 (IR on)			
S/N Ratio		>50dB			
Camera Features					
Max. IR LEDs Length		20-30 m			
Day/Night Switch		Auto Color to B/W			
Backlight Compensation		BLC / HLC / WDR (digital)			
White Balance		Auto			
Gain Control		Auto			
Noise Reduction		2D, 3D			
Privacy Masking		Up to 4 Areas			
Lens					
Focal Length		2.8-12mm varifocal lens			
Max Aperture		F1.4			
Focus Control		Manual			
Angle of View		92°~ 20°			
Lens Type		Manual Iris			
Mount Type		Board-in Type			
Video	r				
Compression		H.264 High Profile, Main Profile, Baseline / MJPEG			
Resolution		1920x1080, 1280x720 ; 960x528, 640x352, 480x256			
Frame Rate Preferred Strea	am	1920x1080	0(1~25/	30fps), 1	1280x720 (1~25/30fps)
Alternate Strea	am	960x528, 6	640x352	, 480x2	56 (1~25/30fps)
Bit Rate		32KB ~16	Mbps, su	ipport VI	BR, CBR
Network					
Ethernet		RJ-45 (10/100Base-T)			
Protocol		IPv4/IPv6, HTTP, TCP/IP, UDP, RTP, RTCP, UPNP, RTSP,			
		SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP,			
ONVIF		ONVIF Ver. 2.4			
Max. User Access		5 users			
Smart Phone	iPhone, iPad, Android, Symbian				




Model: NR-8067-IPC21F Series

Auxiliary Interface			
Memory Slot	Micro SD, Max 64GB		
General			
Power Supply	DC12V, POE (802.3af) model with POE		
Power Consumption	≤6W		
Working Environment	-20 ℃ ~ 60℃		
Ingress Protection	IP66,		
Dimensions	270.2mm ×107.4 mm ×148 mm		
Weight	1.2KG		

Dimensions (mm)





Interfaces :

